

**WHAT IS CLAIMED IS:**

1. A movable radio communication apparatus comprising:
  - a speaker that outputs sounds;
  - 5 a first housing that accommodates said speaker;
  - an antenna part that communicates with an external apparatus; and
  - a second housing coupled to said first housing and foldable relative to said first housing, said second housing accommodating said antenna part.
- 10 2. A movable radio communication apparatus according to claim 1, further comprising an operation part that inputs communication information, wherein said second housing is provided opposite to said operation part with respect to said speaker.
- 15 3. A movable radio communication apparatus according to claim 1, wherein said second housing forms an angle between 90° and 135° relative to said first housing.
- 20 4. A movable radio communication apparatus according to claim 1, further comprising a display that displays communication information.
5. A movable radio communication apparatus according to claim 1, wherein said second housing accommodates a GPS antenna.
- 25 6. A movable radio communication apparatus according to claim 1, wherein said second housing accommodates a Bluetooth antenna.

7. A movable radio communication apparatus according to claim 1,  
wherein said second housing accommodates an image pickup device.

8. A movable radio communication apparatus according to claim 1, further  
5 comprising a mechanism that flips said second housing.

9. A movable radio communication apparatus according to claim 8,  
wherein said second housing is coupled rotatably to said first housing, and  
wherein said mechanism includes:

10 a forcing part that applies a force to said second housing so as to keep  
said second housing from said first housing;  
a fixing part that fixes said second housing onto said first housing; and  
a moving part movable between first and second positions, and forced to  
return from the second position to the first position, said moving part when located at  
15 the second position, releasing a fixation of said second housing by said fixing part, and  
said moving part when located at the first position, enabling said fixing part to fix said  
second housing.

10. A movable radio communication apparatus according to claim 9,  
20 wherein said moving part is provided onto said first housing.

11. A movable radio communication apparatus comprising:  
a speaker that outputs sounds;  
a first housing that accommodates said speaker;  
25 an operation part that inputs communication information; and

a second housing, provided opposite to said operation part with respect to said speaker, coupled to said first housing, and foldable relative to said first housing.

12. A movable radio communication apparatus according to claim 11,  
5 wherein said second housing accommodates a GPS antenna.

13. A movable radio communication apparatus according to claim 11,  
wherein said second housing accommodates a Bluetooth antenna.

10 14. A movable radio communication apparatus according to claim 11,  
wherein said second housing accommodates an image pickup device.

15. A movable radio communication apparatus according to claim 11,  
further comprising a mechanism that flips said second housing.

15  
16. A movable radio communication apparatus according to claim 15,  
wherein said second housing is coupled rotatably to said first housing, and  
wherein said mechanism includes:  
a forcing part that applies a force to said second housing so as to keep

20 said second housing from said first housing;  
a fixing part that fixes said second housing onto said first housing; and  
a moving part movable between first and second positions, and forced to  
return from the second position to the first position, said moving part when located at  
the second position, releasing a fixation of said second housing by said fixing part, and  
25 said moving part when located at the first position, enabling said fixing part to fix said  
second housing.

17. A movable radio communication apparatus according to claim 16,  
wherein said moving part is provided onto said first housing.

18. A movable radio communication apparatus comprising:  
5           a speaker that outputs communicatee's voices;  
              a first housing that accommodates said speaker;  
              an antenna part that communicates with an external apparatus; and  
              a second housing coupled to said first housing and movable or  
displaceable relative to said first housing, said second housing accommodating said  
10          antenna part.

19. A movable radio communication apparatus according to claim 18,  
wherein said second housing accommodates a GPS antenna.

15          20. A movable radio communication apparatus according to claim 18,  
wherein said second housing accommodates a Bluetooth antenna.

20          21. A movable radio communication apparatus according to claim 18,  
wherein said second housing accommodates an image pickup device.

22. A movable radio communication apparatus according to claim 18,  
further comprising a mechanism that flips said second housing.

25          23. A movable radio communication apparatus according to claim 22,  
wherein said second housing is coupled rotatably to said first housing, and  
              wherein said mechanism includes:

a forcing part that applies a force to said second housing so as to keep  
said second housing from said first housing;

a fixing part that fixes said second housing onto said first housing; and

a moving part movable between first and second positions, and forced to

5 return from the second position to the first position, said moving part when located at  
the second position, releasing a fixation of said second housing by said fixing part, and  
said moving part when located at the first position, enabling said fixing part to fix said  
second housing.

10 24. A movable radio communication apparatus according to claim 23,  
wherein said moving part is provided onto said first housing.

25. A method for manufacturing a movable radio communication apparatus  
that includes a speaker that outputs communicatee's voices, and a first housing that  
15 accommodates said speaker, said method comprising the steps of:

producing plural types of second housings, each of which is to be  
coupled to the first housing and foldable relative to the first housing, the second  
housing accommodating different types of function expansion members, each function  
expansion member expanding a function of the movable radio communication  
20 apparatus; and

attaching one of the plural types of second housings to the first housing.